Listing of Claims:

1. (currently amended) A method for handling browser requests for more than one data service with a personal proxy program, said method comprising:

accessing a browser's <u>original Internet connection</u> settings;

storing said browser's <u>original Internet connection</u> settings;

updating the Internet connection settings of said browser to access said personal proxy program;

interfacing said personal proxy program with at least two different types of handlers including a broadcast media handler and an Internet handler;

accepting in said personal proxy program a request from said Internet browser;

selecting [[a]] one of the handlers to handle said request; [[and]]
directing said request to said handler; and
receiving multimedia content from said handler for display in said browser.

- 2. (currently amended) The method of claim 1 wherein directing said request to said handler comprises directing said request to the Internet using said stored Internet connection settings if said [[the]] Internet should handle said request.
- 3. (currently amended) The method of claim 1 wherein directing said request to said handler comprises directing said request to [[,]]a second program running on a computer system that is running said personal proxy program.



- 4. (original) The method of claim 3 wherein said second program comprises a local cache server if said local cache server should handle said request.
- 5. (currently amended) The method of claim 1 where n directing said request to said handler comprises directing said request to an external data appliance device a broadcast media receiver.
- 6. (currently amended) The method of claim 1 where n directing said external data appliance device receives data from a data broadc st network said multimedia content is one of a terrestrial radio broadcast, a satel te television broadcast, and a cable television broadcast.
- 7. (currently amended) An computer system arrange nent apparatus for browsing data from more than one data service, said computer system arrangement comprising:
- a browser program for browsing accessible data resource: s using data resource requests;
 - a first request handler for handling data resource reques as;
- a second request handler for handling data resource bro ideast media requests;
- a personal proxy program, said personal proxy program accepting a request from said Internet browser, selecting [[a]] one of said request handlers[[.]] to handle said request, and directing said request to a selected request handler.



- 8. (original) The apparatus of claim 7 wherein said first request handler comprises the Internet.
- 9. (original) The apparatus of claim 7 wherein said first request handler comprises directing said request to a second program running on a computer system that is running said personal proxy program.
- 10. (original) The apparatus of claim 7 wherein said first request handler comprises a local cache server.
- 11. (currently amended) The apparatus of claim 7 wherein said first second request handler comprises an external data appliance device broadcast media receiver.
- 12. (currently amended) The apparatus of claim 11 wherein said external data appliance device receives data from a data broadcast network said broadcast media receiver is to receive one of a terrestrial radio broadcast, a satellite television broadcast, and a cable television broadcast.





13. (currently amended) A method for handling browser requests from a browser program for more than one data service with a personal proxy program, said method comprising:

accessing an original browser autoconfig file used by said browser program; creating a modified autoconfig file from said original browser autoconfig file; instructing said browser program to access said modified autoconfig file; interfacing said personal proxy program with at least two different handlers

including a broadcast media handler and an Internet handler.

accepting in said personal proxy program a request from said browser program;

selecting a handler to handle said request; and, directing said request to said handler.

14. (original) The method of claim 13 wherein directing said modified autoconfig file directs requests to said personal proxy program.



